EDIFIER

Lighting up your mood

EDIFIER
20:15:00

QD35

Tabletop Bluetooth Speaker

Hi-Res Audio

Hi-Res Audio Wireless



RMS 25W+15W

35W GaN Ultra-fast Charging

Splendid Light Effects

Rich EQs

Bluetooth V5.3

Edifier Connect App

Acoustics, Lumia, and Electrics All-in-One System

High-quality acoustic architecture, with Hi-Res Audio and Hi-Res Audio Wireless certified, and supporting LDAC

Splendid preset and custom light effects

Dual USB ports for safe and high-efficiency charging, powered by TurboGaN technology.

Hi-Res AUDIO

Hi-Res AUDIO WIRELESS

LDAC

Hi-Res
Audio
EDIFIER
20:25:00

High Resolution Audio Inputs Supported

The USB-A port and the AUX jack on the rear panel support high-resolution audio signals. With the enhancement of LDAC technology, you can also stream high-quality music of 96kHz sampling rate to this speaker via Bluetooth.

Bluetooth®

35W
BORN FOR SPEED, BORN FOR SAFETY
Hi-Res
Hi-Res



Powerful Digital Amplifier and DSP Chipset

The full-digit DSP chipset precisely divides the signals into treble and mid-bass. With two independent ways, the TI Closed Loop digital amplifier distributes enhanced audio signals of different frequency bands to target drivers for accurate reproduction. With the total output power up to 40W RMS, it can fully fill the space of 50m^2 room.



Well-designed Acoustic Architecture

The 3" mid-bass drivers, with the aluminium alloy diaphragm and benefiting from the long-stroke design, can reproduce the bass with the frequency down to 60Hz and make the mids sound full-bodied and rich. The 1" silk diaphragm dome tweeters are finely tuned for the precise reproduction of highs, from which the trebles sound crisp and bright.


20: 15:00
EDIFIER

With the enhancement of MazeTube Bass Reflex Channels and TurbMuff Air Noise Suppression Technology, port noises and resonance are reduced to the lowest level.

EDIFIER
CAUTION
Hi-Res AUDIO
Hi-Res AUDIO

TurboGaN
High-efficiency Charging

Powered by TurboGaN high-efficiency charging technology, it can charge 1000+ compatible devices. With the enhancement of full-time fast charging technology, full-time temperature control technology, and smart power assignment technology, charge quickly and safely.



GaN
EDIFIER
20:15:00

USB-C port only (35W max.):

5V ⎓ 3A, 9V ⎓ 3A, 12V ⎓ 2.91A, 15V ⎓ 2.33A, 20V ⎓ 1.75A

USB-A port only (18W max.):

5V ⎓ 2.4A, 9V ⎓ 2A, 12V ⎓ 1.5A

USB-C port and USB-A port simultaneously:

18W max. + 18W max.



Splendid light effects

Various preset light effects are available for your choice. You can also customize your own light effects by Edifier Connect app. Light up your table, and light up your mood.



Works with Edifier Connect App

Edifier Connect

With Edifier Connect app, you can synchronize the clock automatically or manually, customize your own EQs, and share your EQs with friends.

09:15
Shooting star
#7AF8FF
R: 122
G: 247
B: 255
Brightness: 60%
09:08
Light effects
Current color
Light modulation rate
Breathing
Shooting star
e of You
Community
Mall
Me
09:07
EDIFIER · QD35
Hi-Res Audio
Soothing Sounds
Bluetooth
Music
Game
Movie
DIY
Because of You
Josh Vietti
Device
Community
Mall
Me
09:10
Because of You
Josh Vietti
Reviews
35
09:09
DIY
Sound effect

62Hz 250Hz 1KHz 4KHz 8KHz 16KHz

0.5dB -0.5dB 0dB 1dB -1.5dB 0.5dB

88:88:88
EDIFIER
CONCENTRATE

35W
88:88:88
EDIFIER

88:88:88
EDIFIER

88:88:88
EDIFIER
101548

88:88:88
EDIFIER

88:88:88
EDIFIER

Specifications

Total Audio Output Power (RMS) : 25W (Mid-bass) + 15W (Treble)

Frequency Response : 60Hz - 40kHz

Signal-to-Noise Ratio : ⩾85dB (A)

Input Sensitivity : USB-A: 600±50mV

AUX: 600±50mV
Bluetooth: 600±50mFFS

Input Type : AUX / USB-A / Bluetooth

Bluetooth Version : 5.3

Driver Unit : 3" (Mid-bass) + 1" (Treble)

Total Charging Output Power : 35W

Dimension (W×H×D) : 277.8×164.8×141.7 mm

Net Weight : 2.64kg


00:00:00
EDIFIER

QD35×1

Power
Cable×1

3.5mm-3.5mm
Audio Cable×1



USB-A to USB-A
Cable×1

Cleaning Cloth×1

Sticker×1

Manual×1

ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

ΜΕ ΠΑΡΑΚΑΤΩ ΑΝΑΓΡΑΦΟΜΕΝΗ ΚΟΙΝΟΤΙΚΗ ΝΟΜΟΘΕΣΙΑ ΚΑΙ ΕΝΑΡΜΟΝΙΣΜΕΝΑ ΠΡΟΤΥΠΑ ΓΙΑ ΤΗΝ ΙΚΑΝΟΠΟΙΗΣΗ ΤΩΝ ΑΠΑΙΤΗΣΕΩΝ ΑΣΦΑΛΕΙΑΣ, ΠΟΙΟΤΗΤΑΣ ΚΑΙ ΚΑΝΟΝΙΣΤΙΚΩΝ ΑΠΑΙΤΗΣΕΩΝ ΤΟΥ ΠΑΡΑΚΑΤΩ ΠΡΟΣΔΙΟΡΙΣΜΕΝΟΥ ΠΡΟΙΟΝΤΟΣ

Όνομα κατασκευαστή	Edifier International Limited
Διεύθυνση	Ταχυδρομική θυρίδα 6264 Γενικό Ταχυδρομείο Χονγκ Κονγκ

Εμείς, η Edifier International Limited, δηλώνουμε με αποκλειστική μας ευθύνη ότι τα ακόλουθα προϊόντα :

Εμπορικό σήμα	Όνομα προϊόντος	Όνομα μοντέλου
EDIFIER	Ηχείο Bluetooth	EDF286001 (QD35)

έχουν ελεγχθεί και συμμορφώνονται με το Ευρωπαϊκό Πρότυπο που καθορίζεται στο παρόν:

Οδηγία για τον ραδιοεξοπλισμό	2014/53/EU
Άρθρο 3.1a Υγεία	EN 62311:2008
Άρθρο 3.1a Ασφάλεια	EN 62368-1:2014+A11
Άρθρο 3.1b EMC	EN 55032:2015+A11 EN 55035:2017+A11 EN 301489-1 V2.2.3 EN 301489-17 V3.2.4
Άρθρο 3.2 Ραδιοφάσμα	EN 300328 V2.2.2

Υπογραφή: Lilanqiang

Εκτυπωμένη επωνυμία: Li Lanqiang

Θέση: Υπεύθυνος κέντρου πιστοποίησης

Τόπος και ημερομηνία έκδοσης: DongGuan 2023-2-21

EU DECLARATION OF CONFORMITY

WITH BELOW LISTED COMMUNITY LEGISLATION AND HARMONIZED STANDARDS TO SATISFY THE SAFETY, QUALITY AND REGULATORY REQUIREMENTS OF THE BELOW SPECIFIED PRODUCT

Name of the manufacturer	Edifier International Limited
Address	P.O. Box 6264 General Post Office Hong Kong

We, Edifier International Limited, declare under our sole responsibility that following product：

Trademark	Product Name	Model Name
EDIFIER	In-House Bluetooth Speaker	EDF286001 (QD35)

has been tested and complies with the European Standard herein specified:

Radio Equipment Directive	2014/53/EU
Article 3.1a Health	EN 62311:2008
Article 3.1a Safety	EN 62368-1:2014+A11
Article 3.1b EMC	EN 55032:2015+A11 EN 55035:2017+A11 EN 301489-1 V2.2.3 EN 301489-17 V3.2.4
Article 3.2 Radio Spectrum	EN 300328 V2.2.2

Signature: Lilanqiang

Printed name: Li Lanqiang

Position: Certification Center manager

Place and date of issue: DongGuan 2023-2-21