



Model

FS1010P



8-Port 10/100M PoE+
Switch | 120 Watts

1. Overview

FS1010P is an unmanaged PoE switch contains 10 RJ45 ports and 1~8 support PoE functions. The PoE ports can automatically detect and supply power to IEEE802.3af/at compliant Powered Devices (PD). The electrical power and data transmission on the same cable can expand your network to the places where no power lines or outlets, where you can install devices such as APs, IP cameras, or IP phones, etc.

FS1010P has VLAN function which can improve the network environment and reduces network maintenance costs. It is easy to manage and maintain which can meet a lot of networking environment, such as Business building, Community, Hotel, Office, etc.

1. Features

1. Support IEEE802.3 at standard and compatible with IEEE802.3 af by electrical equipment (PD).
2. Stand-up output power up to 30W.
3. Support IEEE802.3 x full duplex flow control and Back pressure half duplex flow control.
4. Panel lights to monitor working state and help fault analysis.
5. Perfect security mechanism.
6. Line-speed forwarding intelligent identification.
7. Support VLAN and CCTV Function.
8. Support Energy-Efficient Ethernet (EEE) function (IEEE802.3az).

2. Specification

Model	FS1010P
Interface	10 * 10/100Mbps RJ45 port
PoE standard	IEEE802.3af/at
PoE port	1~8 port
PoE total	120W
Power supply	120W
Key function	CCTV & VLAN
RJ45 PoE power supply	Mode A Anode1/2 Cathode3/6
PoE output-port	Max 30W
Indicator	PWR (Green) LNK/ACT (Green) PoE (Orange)
Network media	10BASE-T: UTP category 3, 4, 5 cable (≤100m)
	100BASE-TX: UTP category 5, 5e cable (≤100m)
MAC Address Table	8K, Automatic study, automatic updates
Jumbo frame	1528Bytes
Packet buffer	2M bit
Transfer Mode	store-and-forward
Packet forwarding rate	1.48Mpps
Bandwidth	2Gbps
Fan	Fanless
Device Dimension	220 * 150 * 44mm
Machine weight	>1kg
green energy saving	Support IEEE (802.3az)
Mains input	100~240V AC, 50/60Hz
Operating Temperature	0°C ~ 40 °C
Storage Temperature	-40 °C ~ 70 °C
Operating Humidity	10% ~ 90% non-condensing
Storage Humidity	5% ~ 90% non-condensing
Surge Protection	±4KV
Certification	CE, FCC ClassA
MTBF	>50000 hours
Electrostatic standard	Contact 4KV, air 6KV

CE DECLARATION OF CONFORMITY

For the following equipment:

Product Name: 8-Port 10/100M PoE+ Switch with 2 Uplink Ports

Model Number: FS1010P

Trademark: Cudy

We declare under our own responsibility that the above product satisfies all the technical regulations applicable to the product within the scope of Council Directives:

Directive 2014/30/EU, Directive 2014/35/EU, Directive 2011/65/EU, Directive (EU) 2015/863

The above product is in conformity with the following standards or other normative documents:

EN 50032:2015+A1:2020 +A11:2020

EN IEC 61000-3-2:2019 + A1: 2021

EN61000-3-3: 2013 + A1:2019 + A2:2021

EN55035:2017 + A11:2020

EN IEC 62368-1:2020 + A11:2020


Person responsible for making this declaration:

Sun Qiaoyun

Regulatory Compliance Manager

Place of issue: Shenzhen, China

Date of issue: 2022-10-10



ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ

Για τον ακόλουθο εξοπλισμό:

Όνομα Προϊόντος: 8-Port 10/100M PoE+ Switch with 2 Uplink Ports

Αριθμός Μοντέλου: FS1010P

Εμπορικό Σήμα: Cudy

Διακηρύσσουμε με κάθε ευθύνη ότι το παραπάνω προϊόν συμμορφώνεται με όλους τους τεχνικούς κανονισμούς που ισχύουν για το προϊόν, εντός του αντικειμένου των Κοινοτικών Οδηγιών:

Οδηγία 2014/30/ΕΕ, Οδηγία 2014/35/ΕΕ, Οδηγία 2011/65/ΕΕ, Οδηγία (ΕΕ) 2015/863

Το παραπάνω προϊόν βρίσκεται σε συμμόρφωση με τα ακόλουθα πρότυπα ή άλλα έγγραφα συμμόρφωσης

EN 50032:2015+A1:2020 +A11:2020

EN IEC 61000-3-2:2019 + A1: 2021

EN61000-3-3: 2013 + A1:2019 + A2:2021

EN55035:2017 + A11:2020

EN IEC 62368-1:2020 + A11:2020


Υπεύθυνος για τη δήλωση αυτή:

Sun Qiaoyun

Διευθυντής κανονιστικής συμμόρφωσης

Τόπος έκδοσης: Shenzhen, Κίνα

Ημερομηνία έκδοσης: 2022-10-10



Shenzhen Cudy Technology Co., Ltd.

Room A606, Gaoxinqi Industrial Park, Liuxianyi Road, Baoan District, Shenzhen, China

www.cudy.com