

# LogiLink®



## USB 3.2 Gen 1 to HDMI Adapter with PD

Art. No.: UA0257

The USB-C™ to HDMI Charging Adapter lets you connect to your MacBook with a USB-C™ port to an HDMI display, while also connecting to a USB-C™ to charging cable at the same time.


This adapter allows you to mirror your MacBook or Chromebook display to your HDMI-enabled TV or display in up UHD 4K2K (3840x2160) at 30Hz.

Simply connect the adapter to the USB-C™ port on your MacBook or Chromebook, and then to your TV or projector via an HDMI cable; it supports both video and audio output.

You can also connect a charging cable to the USB-C™ port to charge your MacBook or Google Chromebook or any other USB-C™ supported devices.

### Features:

- » Supports USB-C™ input and HDMI output
- » Supports DisplayPort 1.2 Alt-mode
- » Supports HDMI resolution up to 4Kx2K @30 Hz
- » Supports both video and audio output
- » USB-C™ female port supports USB Power Delivery Profile 4 up to 60 W (20 V/3 A)
- » Supports simultaneous charging to your MacBook or Google Chromebook, or any other USB-C™ supported devices
- » Easy to use and carry



RoHS  
compliant



\*Specifications are subject to change without prior notice.  
\*USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum.  
\*All trade names referenced are the registered trademark of their respective owners.



UA0257



Made in China

# LogiLink®



## USB 3.2 Gen 1 to HDMI Adapter with PD

Art. No.: UA0257

### Specification:

Input	1x USB-C™ Male 1x USB-C™ Female for charging
Output	1x HDMI Female
HDMI Resolutions	UP to 4Kx2K @30 Hz
USB-C™ Standard	USB 3.1 Gen1 (Thunderbolt™ 3 compatible)
Operating Temperature	0°C–45°C
Operating Humidity	10–85% RH (no condensation)
Storage Temperature	-10°C–70°C
Storage Humidity	5–90% RH (no condensation)
USB A female Port	Up to 5 W (5 V/1 A)
USB-C™ Female Charging Port	USB PD Profile 4 Source up to 60 W (20 V/3 A)
Product Dimension	42.5x40.2x11.5 mm
Product Weight	20 g
Cable Length	14 cm

### Compatible Devices:

Apple	2015 MacBook 2016 MacBook 2016 MacBook Pro
Dell	XPS 13
Google	Chromebook Pixel
HP	Elite x2 1012 G1 Pro Tablet 608
Samsung	900X5L-K01



### Package Contents:

- » 1x USB 3.2 Gen 1 to HDMI Adapter with PD
- » 1x User Manual

### Package Informations:

- » Packing Dimension: 202x138x25 mm
- » Packing Weight: 0.08 kg
- » Carton Dimension: 520x366x185 mm
- » Carton Q'ty: 40 pcs
- » Carton Weight: 4.1 kg

⚠ Proper use of the PD function can only be guaranteed in combination with certified USB cables with E-Mark chipset.

\*Specifications are subject to change without prior notice.

\*USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum.

\*All trade names referenced are the registered trademark of their respective owners.



UA0257



4 052792 038705

Made in China



RoHS  
compliant



Best Connectivity



## EC-Declaration of Conformity

According to the regulations  
2014/30/EU (EMC) & 2011/65/EU (RoHS)

### We, Importer / Distributor

2direct GmbH  
Langenstück 5  
58579 Schalksmühle  
Germany

### Declare that the product

Brand Name: **LogiLink**  
Model Number: UA0257  
USB3.1Adapter, USB Type C to HDMI w/PD adapter

### Is in Conformity with the following European Standards:

EN 55022:2010+AC:2011  
EN55024:2010  
EN50581:2012

Report No: EA1512020E 02001

Identification of signatory empowered to bind the manufacturer or his authorized  
representative.



2direct GmbH  
Langenstück 5  
D-58579 Schalksmühle

Schalksmühle, 30 June 2016

Place and date of issue

tel.: +49-2351-66887-0  
Signature (Wilfried Grohert)