



microSDHC/SDXC UHS-I U1 V10 A1 (R100 MB/s)

Outstanding Performance

Provides faster response speed and improves smoothness to shorten waiting time when files are opened.



Enhance Multitasking

High performance is assured even when multiple apps and widgets are activated for multitasking.



Rich Entertainment

Supports Full HD 1080p video recording and 3D video recording for mobile devices to record each happy moment.











Premium Standard! Ultra High Speed SD 5.1 UHS-I

The ultra high speed standard for the new generation SD 5.1 defined by the SD Association - UHS-I (Ultra High Speed) provides top-level performance.



^{*}This speed performance is achieved under the conditions specified by the SD Association *Transmission speeds vary based on your system performance (e.g. hardware, software, usage, etc.)



Maximum read speed of the card

Video Speed Class

The minimum guaranteed sequential write speed (over 10MB/s)

UHS Speed Class

The minimum guaranteed write speed when used with devices that support the UHS-I interface.

This indicates that the card is supported by the UHS-I interface.

Features

• Compliant with latest SD spec ver 5.1

access speed of at least 10MB per second.

- Supports UHS-I specification
- Maximum read speed up to 100MB/s *
- Safeguards valuable data with multiple protection

Retail package with adapter

Ordering Information

| Capacity | PN | EAN Code |
|----------|------------------|---------------|
| 32GB | AP32GMCSH10UB-R | 4712389920881 |
| 64GB | AP64GMCSX10UB-R | 4712389920898 |
| 128GB | AP128GMCSX10UB-R | 4712389920904 |
| 256GB | AP256GMCSX10UB-R | 4712389920928 |

Retail package without adapter

| Capacity | PN | EAN Code |
|----------|-------------------|---------------|
| 32GB | AP32GMCSH10UB-RA | 4712389920935 |
| 64GB | AP64GMCSX10UB-RA | 4712389920942 |
| 128GB | AP128GMCSX10UB-RA | 4712389920959 |
| 256GB | AP256GMCSX10UB-RA | 4712389920966 |

Specification

- Capacity: 32GB / 64GB / 128GB / 256GB
- Performance: UHS Speed: Class 1

Video Speed: Class 10

Application Performance Class: A1 Read Speed: Up to 100MB/s*

- Dimensions (L x W x H): 15 x 11 x 1mm
- Warranty: 5 years limited product lifetime





Apacer Technology Inc.

1F, No.32, Zhongcheng Rd., Tucheng Dist. New Taipei City 236, Taiwan R.O.C.

Tel: +886-2-2267-8000 Fax: +886-2-2267-3410















^{*}Based on internal testing; performance may be lower depending upon host device interface, usage conditions and other factors.

Page 1 of 2 Report No.: ISL-21LE819CE35-MB

Declaration of Conformity

Name of Responsible Party: Apacer Technology Inc.

Address of Responsible Party: 1F., No.32, Zhongcheng Rd., Tucheng Dist., New Taipei

City 236, Taiwan, R.O.C.

Declares that product: microSD Card

Main Model: microSDXC-1024GB

Series Model: microSDHC-8GB; microSDHC-16GB;

microSDHC-32GB; microSDXC-64GB; microSDXC-128GB; microSDXC-256GB;

microSDXC-512GB

Brand: Apacer

Assembled by: Same as above Address: Same as above

The object of the declaration described above is in conformity with the relevant UK Statutory Instruments (and their amendments):

S.I. 2016 No. 1091 Electromagnetic Compatibility Regulations 2016

References to the relevant designated standards used or references to the specifications in relation to which conformity is declared:

EN 55032:2015+A11:2020 and CISPR 32:2015+A1:2019 and BS EN 55032:2015+A11:2020 Class B Electromagnetic compatibility of multimedia equipment - Emission requirements. AS/NZS CISPR 32:2015+A1:2020 Class B Electromagnetic compatibility of multimedia equipment- Emission requirements

| Performed Item | Test Performed | Deviation | Result |
|--|----------------|-----------|--------|
| Conducted emissions from the AC mains power ports | Yes | No | PASS |
| Telecommunication Port Conducted Emissions (asymmetric mode) | N/A | N/A | N/A |
| Radiated emissions at frequencies below 1 GHz | Yes | No | PASS |
| Radiated emissions at frequencies above 1 GHz | Yes | No | PASS |
| Radiated emissions from FM receivers | N/A | N/A | N/A |
| Voltage Disturbance Emissions at Antenna Terminals | N/A | N/A | N/A |
| Differential voltage emissions | N/A | N/A | N/A |
| Outdoor units of home satellite receiving systems | N/A | N/A | N/A |

Page 2 of 2 Report No.: ISL-21LE819CE35-MB

EN 55035:2017+A11:2020 and CISPR 35:2016 modified and BS EN 55035: 2017+A11:2020 Electromagnetic compatibility of multimedia equipment - Immunity requirements.

| Standard | Description | Results | Criteria |
|--|--|---------|----------|
| EN 61000-4-2:2009 IEC 61000-4-2:2008 BS EN 61000-4-2:2009 | Electrostatic Discharge | Pass | В |
| EN 61000-4-3:2006+A1:2008 +A2:2010 IEC 61000-4-3:2006+A1:2007+A2:2010 BS EN 61000-4-3:2006+A2:2010 | Radio-Frequency, Electromagnetic Field | Pass | A |
| EN 61000-4-4:2012 IEC 61000-4-4:2012 BS EN 61000-4-4:2012 | Electrical Fast Transient/Burst | Pass | В |
| EN 61000-4-5:2014+A1:2017 IEC 61000-4-5:2014+A1:2017 BS EN 61000-4-5:2014+A1:2017 | Surge | Pass | В |
| EN 61000-4-6:2014+AC:2015 IEC 61000-4-6:2013 BS EN 61000-4-6:2014 | Conductive Disturbance | Pass | A |
| EN 61000-4-8:2010 IEC 61000-4-8:2009 BS EN 61000-4-8:2010 | Power Frequency Magnetic Field | Pass | A |
| EN 61000-4-11:2004+A1:2017 IEC 61000-4-11:2004+A1:2017 BS EN 61000-4-11:2004+A1:2017 | Voltage Dips / Short Interruption and Voltage Variation | | |
| | >95% in 0.5 cycle | Pass | В |
| | 30% in 25 cycle | Pass | С |
| | >95% in 250 cycle | Pass | С |

| Standard | Description | Results |
|---|--|---------|
| EN IEC 61000-3-2:2019 IEC 61000-3-2:2018 BS EN IEC 61000-3-2:2019 | Limits for harmonics current emissions | Pass |
| EN 61000-3-3:2013+A1:2019 IEC 61000-3-3:2013+A1:2017 BS EN 61000-3-3:2013+A1:2019 | Limits for voltage fluctuations and flicker in low-voltage supply systems. | Pass |

We, Apacer Technology Inc., hereby declare that the equipment bearing the trade name and model number specified above was tested conforming to the applicable Rules under the most accurate measurement standards possible, and that all the necessary steps have been taken and are in force to assure that production units of the same equipment will continue to comply with the requirements.

Chain Yang

Apacer Technology Inc. **Date: June 30, 2022**

Remarks:

- 1) The responsible party for Declaration of Conformity must be located within UK
- 2) The above is a sample of DoC, one should modify it to meet remark 1.