



EDIFIER CC300

GTM DECK

● **V1.2 2025/12/22**

CONTENTS

EDIFIER CC300

Design Details	P3
-----------------------	-----------

Selling Points	P4
-----------------------	-----------

Benchmark	P5
------------------	-----------

Packaging	P6
------------------	-----------

Specifications	P7
-----------------------	-----------

Roadmap	P8
----------------	-----------

Design Details

EDIFIER CC300



Selling Points

EDIFIER CC300

Wireless Mono Headset with Microphone



- 30mm composite diaphragm driver for more immersive audio experience



- Up to 72 hours for music play and 36 hours for call.
- 350 hours standby time.



- Bluetooth V6.0
- USB-C dongle with USB-A Adapter
- USB-C cable wired connection



- Dual mics with AI algorithm for clear hands-free calls
- Rotatable boom mic aligns with your mouth, accurately capturing sound from any angle to enhance call clarity.



- Lightweight design for all-day comfort
- Adjustable and retractable stainless steel headband

Benchmark

EDIFIER CC300

Items	EDIFIER CC300
Product Image	
Colors	Black
Driver Units	30mm Dynamic Driver
Calls Noise Cancellation	2 mics with AI algorithm
Bluetooth Version	V6.0
Codecs	SBC
Battery Life (talk time)	36hrs
Battery Life (music time)	72hrs
Connection	Bluetooth, USB-C Dongle, Wired
Controls	Physics button on the headset

Packaging


EDIFIER CC300



Carton Configuration

Product Weight	Around 72 g(Net Weight)
Inner Carton	146*166*62.5 mm (L*W*H), 0.217 kg (gross weight)
Master Carton	355*331*325 mm (L*W*H), 5 kg (gross weight)
PCS/CTN	20 pcs

BOX Content



Items	EDIFIER CC300
Headset	1
USB-C to USB-A Cable(1.8M)	1
USB-C Dongle	1
USB-A Adapter	1
User Manual	1
Important Safety Instructions	1

EAN Codes

Color Options	EAN Codes
Black	6923520270309

Specifications

EDIFIER CC300



Bluetooth	V6.0
Bluetooth Protocol	A2DP,AVRCP,HFP
Effective Distance	10M
Playtime(hours)	about 72H
Talk time(hours)	about 36H
Battery Capacity	400mAh
Charging Port	USB-C
Input	5V/500mAh
Charging Time	about 1.5H
Weight	about 72g

Audio Coding	SBC
Driver	30mm dynamic driver
Impedance	32Ω
Sound Pressure Level	94±3dB
Frequency Response	20Hz-20Khz
Mircophones	2
Mircophones Sensitivity	37dB±1.5dB
IP Rating	N/A
Dimension(L×W×Hmm)	172.82*148.6*60.65 mm



EDIFIER

A Passion for Sound.

www.edifier.com

EU DECLARATION OF CONFORMITY

1. Model No., trademark:

Trademark	EDIFIER
Model Name	EDF200241, EDF900018

2. Name and address of the manufacturer:

Name of the manufacturer	Edifier International Limited
Address	P.O. Box 6264 General Post Office, Hong Kong

3. This declaration of conformity is issued under the sole responsibility of the manufacturer.

4. Object of the declaration:

Product Name	Model Name	Sales Name
Wireless Mono On-ear Headset	EDF200241	CC300
USB-C Dongle	EDF900018	UD01

5. The object of the declaration described above is in conformity with the relevant Union harmonisation legislation directive and Other Union harmonisation legislation where applicable:

Radio Equipment Directive 2014/53/EU
RoHS Directive

6. References to the relevant harmonised standards or the common specifications used or references to the other technical specifications in relation to which conformity is declared:

Radio Equipment Directive	EN 55032: 2015+A11:2020+A1:2020; EN 61000-3-3: 2013 +A1:2019 +A2:2021 EN IEC 61000-3-2: 2019 +A1:2021 +A2:2024; EN 55035: 2017+A11:2020 EN 301 489-1 V2.2.3; EN 301 489-17 V3.3.1; EN 300 328 V2.2.2 EN 62479:2010; EN IEC 62368-1:2020+A11:2020; EN IEC 62680-1-3:2022; EN 18031-2:2024
RoHS Directive	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment Directive (EU) 2015/863 as well as RoHS harmonized standard EN IEC 63000: 2018.

7. EU Authorized Representatives Details:

Name: THEMIS AR Unterstützung UG **Contact Person:** Christopher Jones

Address: Beedstrasse 54, In Dusseldorf, (40468),Deutschland **E-mail:** legal@themisar.com

Signature:



Printed name: Li Lanqiang

Position: Certification Center manager

Place and date of issue: Dongguan 2026-5-6

Built-in Li-ion battery

Name	Model	Trademark	Ratings and principal characteristics
Lithium ion Battery	582038	CEL	3.8V, 400mAh, 1.52Wh



EU DECLARATION OF CONFORMITY

1. Model No., trademark:

Trademark	CEL
Battery Category	Portable Battery
Model Name	N/A

2. Name and address of the manufacturer:

Name of the manufacturer	Dongguan Golden CEL Battery Co., Ltd.
Address	No.11, Yinhu Industrial park, JiaoYiTangManagement Zone, Tangxia, DongGuan, Guangdong, P.R. China

3. This declaration of conformity is issued under the sole responsibility of the manufacturer.

4. Object of the declaration:

Product	All CEL batteries for EDIFIER
Ratings and principal characteristics	Please see the signed Specification for details.
Photo	Please see the signed Specification for details.

5. We herewith declare that the above mentioned products meet the provisions of the battery regulation (EU) 2023/1542 .The CE mark as shown below can be used , under the responsibility of the manufacturerafter completion of an EU Declaration of Conformity and compliance with all relevant EU Directives and regulations.



Signature:

Printed name:

Position:

Place and date of issue:



Dongguan Golden CEL Battery Co., Ltd.
No.11, Yinhu Industrial park, JiaoYiTangManagement Zone, Tangxia, DongGuan, Guangdong, P.R. China
0769-82195301 . 0769-87982226 . www.celbattery.com