



EDIFIER T5

GTM Deck

Version 01

2024/11/12







T5

Active subwoofer delivering deep and powerful bass

Powered subwoofer

70W (RMS)

8" woofer

Deep down to 38Hz

Powerful TI Amplifier

Accurate Crossover

Low Distortion

Versatile Connectivity

Auto Standby

Stylish Design

Deep and Powerful Bass

- 70W (RMS) total output power
- 8" long-throw woofer
- Reproduces low frequencies down to 38Hz
- High efficiency switching power supply and closed-loop Class-D audio amplifier from Texas Instruments

Accurate Crossover

- Texas Instruments high-performance analog front end and digital amplifier guarantee accurate audio conversion and amplification.
- The integrated DSP (digital signal processor) ensures precise low-pass filtering and phase control, enabling seamless crossover with your speaker system.



8"

70W

T5

Powered subwoofer




Black

T5

Powered subwoofer

Method 1:

If the main speaker system has a subwoofer port, connect it to the Signal In ports on the subwoofer, then connect the main speaker system to the audio source.




* Compatible EDIFIER speaker models:

R1280Ts, R1280DBs, R1700BTs, R1850DB, R1855DB, R2750DB, R2850DB, S880DB MKII, D12, QR65

Connectivity

Method 2:

If the main speaker system lacks a subwoofer port, connect its audio input to the subwoofer's Signal Out ports, then connect the subwoofer's Signal In ports to the audio source's output.



T5

Powered subwoofer

Packaging Structure & Layout Concept Reference




Carton Configuration

Product Weight	Around 8.56kg (Net Weight: Speaker)
Product Size	278 x 336 x 300 per speaker (L*W*H)
Inner Carton	419 x 347 x 370 mm (L*W*H), around 9.62kg (Gross Weight)
Master Carton	435 x 362 x 392 mm (L*W*H), around 10.53kg (Gross Weight)
PCS/CTN	1

Box Content

Item	Quantity
T5	1
Power Cable	1
3.5mm-to-RCA Audio Cable	1
RCA-to-RCA Audio Cable	1
Quick Start Guide	1
Important Safety Instructions	1



EAN Codes

Color Options	EAN Codes
Black	6923520267668

* For UPC codes, please contact Rayka Yuan (rx_yuan@edifier.com).

T5

Powered subwoofer

Technical Specifications

Output Power (RMS)	70W
Driver	8" long-throw paper cone woofer
Frequency Response	38Hz - 160Hz
Signal-to-Noise Ratio	≥ 85dB(A)
Input	RCA (L & R)
Output	RCA (L & R)
Input Sensitivity	50±20mV

EDIFIER
A Passion for Sound



EU DECLARATION OF CONFORMITY

1. Model No., trademark:

Trademark	EDIFIER
Model Name	EDF100085

2. Name and address of the manufacturer:

Name of the manufacturer	Edifier International Limited
Address	P.O. Box 6264 General Post Office, Hong Kong

3. This declaration of conformity is issued under the sole responsibility of the manufacturer.

4. Object of the declaration:

Product Name	Model Name	Sales Name
Powered Subwoofer	EDF100085	T5

5. The object of the declaration described above is in conformity with the relevant Union harmonisation legislation directive and Other Union harmonisation legislation where applicable:

Low Voltage Directive 2014/35/EU
Electromagnetic Compatibility Directive 2014/30/EU
RoHS Directive

6. References to the relevant harmonised standards or the common specifications used or references to the other technical specifications in relation to which conformity is declared:


Low Voltage Directive	EN 62368-1:2014+A11:2017
Electromagnetic Compatibility Directive	EN 55032:2015; EN 55035:2017; EN 61000-3-2:2014; EN 61000-3-3:2013
RoHS Directive	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment Directive (EU) 2015/863 as well as RoHS harmonized standard EN IEC 63000: 2018.

7. EU Authorized Representatives Details:

Name: THEMIS AR Unterstützung UG **Contact Person:** Christopher Jones

Address: Beedstrasse 54, In Dusseldorf, (40468),Deutschland **E-mail:** legal@themisar.com

Signature:



Printed name: Li Lanqiang

Position: Certification Center manager

Place and date of issue: DongGuan 2024-11-19