




EDIFIER P230 USB-C



GTM DECK

● Version 05 2026/4/16

CONTENTS

EDIFIER P230 USB-C

Colors **P3**

Design Details **P4**

Selling Points **P5**

Benchmark **P6**

Mobile App **P7**

Packaging **P8**

Specifications **P9**

Roadmap **P10**

Colors

EDIFIER P230 USB-C



● Black



○ White

Design Details

EDIFIER P230 USB-C



Selling Points

EDIFIER P230 USB-C

Wired earphones with high-quality audio.



- Φ 12.4mm dynamic driver for powerful sound.
- Hi-Res Audio certified, with frequency response up to 40kHz for detailed sound reproduction.
- 4 preset and customized EQ options available to enhance your audio experience.



- Built-in Omnidirectional high sensitivity microphone for clear hands-free phone calls.



- Works with EDIFIER ConneX mobile app.



- IP54 dust and splash resistance.




- Wired connections (USB-C) deliver zero-latency, original audio.
- Take control with the easy-to-use in-line microphone/remote.
- Plug-and-play, no pairing required, universal compatibility across devices.



- Ergonomically shaped for a secure, comfortable fit.
- Featuring antibacterial ear tips ensure extended use.
- Find your ideal fit with 3 included ear tip sizes (S/M/L).


Benchmark

EDIFIER P230 USB-C


Items	EDIFIER P230 USB-C
Product Image	
Colors	Black/White/Green
Driver Units	12.4mm dynamic driver
Voice Assistant	Yes
Mute	No
APP	Yes
Connector type	USB-C
Dust and water resistance	IP54
Ear tips	3 pairs(S/M/L)
Other	EDIFIER/Bass boost/Vocal/Treble boost /customized Sound effects

Mobile App

EDIFIER ConneX



Playback control



Sound effect switch

Packaging


EDIFIER P230 USB-C



Carton Configuration

Product Weight	Around 13g(Net Weight)
Product Size	1200*26x19.3mm (L*W*H)
Inner Carton	65*25*107 mm (L*W*H), 0.044 kg (gross weight)
Master Carton	275*229*296 mm (L*W*H), 3.98kg (gross weight)
PCS/CTN	80 pcs

BOX Content



Items	EDIFIER P230 USB-C
Earbuds	1
Eartips	3 pairs (S/M/L)
User Manual	1
Important Safety Instructions	1

EAN Codes

Color Options	EAN Codes
Black	6923520270057
White	6923520270064

Specifications

EDIFIER P230 USB-C

Connector type	USB-C
Driver	12.4mm dynamic driver
Impedance	28Ω
Sound Pressure Level	94±3dB(A)
Frequency Response	20Hz-40kHz
Input	5V/100mA

Mircophones	1pc
Mircophones Sensitivity	-40dB
IP Rating	IP54
Dimension(L×W×Hmm)	19.1 x 26 x 19.3mm (Earbuds) 37 x 6 x 6 mm (In-line Control Box) 24.2 x 10.2 x 5.2 mm (USB Connector)
Cable Length	120cm±3cm



EDIFIER

A Passion for Sound.

www.edifier.com



EU DECLARATION OF CONFORMITY

1. Model No., trademark:

Trademark	EDIFIER
Model Name	EDF200216

2. Name and address of the manufacturer:

Name of the manufacturer	Edifier International Limited
Address	P.O. Box 6264 General Post Office, Hong Kong

3. This declaration of conformity is issued under the sole responsibility of the manufacturer.

4. Object of the declaration:

Product Name	Model Name	Sales Name
Wired Earbuds with Remote and Mic	EDF200216	P230 USB-C

5. The object of the declaration described above is in conformity with the relevant Union harmonisation legislation directive and Other Union harmonisation legislation where applicable:

Electromagnetic Compatibility Directive 2014/30/EU
RoHS Directive

6. References to the relevant harmonised standards or the common specifications used or references to the other technical specifications in relation to which conformity is declared:

Electromagnetic Compatibility Directive	EN 55032: 2015+A11:2020; EN 55035: 2017+A11:2020; EN 50332-2: 2013
RoHS Directive	Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment Directive (EU) 2015/863 as well as RoHS harmonized standard EN IEC 63000: 2018.

7. EU Authorized Representatives Details:

Name: THEMIS AR Unterstützung UG **Contact Person:** Christopher Jones
Address: Beedstrasse 54, In Dusseldorf, (40468),Deutschland **E-mail:** legal@themisar.com

Signature: 

Printed name: Li Lanqiang

Position: Certification Center manager

Place and date of issue: DongGuan 2025-10-23