

# LogiLink

## USB 3.2 Gen 1 Hub with Switch

4 Ports + 1 Fast Charging Port

Art. No.: UA0386



### The Best Travel Companion

This USB 3.2 Gen 1 Hub with 4 ports and 1 fast charging port is for laptops, desktops, and more. Palm-sized and lightweight crafted to slide smoothly into any bag for greater portability and convenience.



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



5 Gbps Data Transfer



### Multiple USB Ports

Instantly adds 4 USB ports to your laptop, desktop or smart TV; enjoy data transfer speeds of up to 5 Gbps for faster sync time; plug and play, no driver required.

### Convenient Fast Charging

Comes with a fast charging port; allows you to charge mobile phones, tablets, cameras, speakers, and more. Automatically detects and delivers the optimal charging current up to a maximum of 12 W.

### Individual Power Switches

Equipped with 5 individual ON/OFF switches to control each USB port; easily save the trouble of unplugging devices when they are not in use.

### Safety Protection

Extremely safe and reliable, the USB hub provides overcurrent, overvoltage, and short circuit protection.

Compact & Lightweight



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



## Specifications:

USB Version	USB 3.2 Gen 1
Input Port	USB-B female
Output Port	5x USB-A female
USB-A Power Output	Fast Charging Port: 5 V/ 2,4 A (12 W) max. Data Port: 5 V/ 2 A (10 W) max.
Max. Power Consumption	12 V/5 A (60 W)
Data Transmission Speed	Up to 5 Gbps
ON/OFF Switch	Power switch for each port
LED Indicators	Red for one fast charging port; Blue for four data ports
Power By	External power supply 12 V/ 2 A
Compatible Operating Systems	Windows XP/7/8/10/11, Mac OS and Linux
Operating Temperature	0–70 °C
Operating Humidity	10–90% RH (no condensation)
Storage Temperature	-40–85 °C
Storage Humidity	10–90% RH (no condensation)
Material	Aluminum Alloy
Dimensions	9,6x5,2x2,4 cm
Weight	99 g

## Specification of External Power Supply:

Input Voltage	100–240 V, 50/60 Hz 0,6 A max.
Output Power	12 V/2 A, 24 W
DC Plug	5,5x2,1 mm
Dimensions	79x42x69 mm
Cable Length	1,5 m
Weight	0,115 kg



## Package Contents:

- » 1x USB Hub
- » 1x USB Cable
- » 1x Power Supply
- » 1x User Manual

## Package Information:

- » Packing Dimension: mm
- » Packing Weight: kg
- » Carton Dimension: mm
- » Carton Q'ty: pcs
- » Carton Weight: kg



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.





## UKCA Declaration of Conformity

According to the regulations  
Electromagnetic Compatibility Regulations 2016 &  
Electrical Equipment (Safety) Regulations 2016 &  
The Ecodesign for Energy-Related Products Regulations 2010 &  
The Restriction of the Use of Certain Hazardous Substances in Electrical and  
Electronic Equipment Regulations 2012

### We, Importer / Distributor

2direct GmbH  
Langenstück 5  
58579 Schalksmühle  
Germany

### Declare that the product

Brand Name: **LogiLink**  
Model Number: UA0386  
Portable Power Station

### Is in Conformity with the following European Standards:

EN 55032:2015+A1:2019  
EN 55035:2017  
EN 62368-1:2014+A11:2017  
EN 63000:2018

**Report No: AXJC202111240028E, 211-700276-000**

Identification of signatory empowered to bind the manufacturer or his authorized  
representative.

Schalksmühle, 12<sup>th</sup> January 2022

Place and date of issue



2direct GmbH  
Langenstück 5  
D-58579 Schalksmühle

Tel.: +49-2351-668870  
Fax: +49-2351-66887-29  
Signature (Wilfried Gronert)