

4G LTE Router

With Detachable 4G Antennas

MW5360



OVERVIEW:

The STONET 4G LTE router MW5360 equipped with 4G LTE module, Allowed you access the Internet with a SIM card. With the separate WiFi antenna systems and unique detachable 4G antenna ports design, it allows you to put the 4G antennas to anywhere inside or outside of your house, which bring you a better 4G speed and better WiFi performance. MW5360 also offer wired WAN port to be used as a common wireless router.

FEATURES:

- Plug & play, access the internet without any setting
- Wide Band for LTE, fit for most ISPs
- Muti-access, 4G LTE and Wired access available
- Works seamlessly with all 802.11a/b/g/n devices
- Simultaneous 2.4GHz 300Mbps
- 2* 5dBi high gain WiFi antennas and 2*5dBi detachable 4G antennas

- Easy wireless security setup at a push of the WPS button
- Intelligent bandwidth control to manage the bandwidth usage for each computer reasonably
- Internet Access Control- IP filtering, MAC Filtering, Domain Filtering based on time
- Quick setup, with built-in multilingual management page

SPECIFICATION:

Wireless	
Standards	IEEE 802.11b/g/n 2.4GHz
Signal Rate	Up to 300Mbps2.4GHz
Frequency Range	2.4-2.4835GHz;5.180-5.825GHZ
Transmit Power	20dBm(MAX)
	802.11n: 40MHz(300Mbps, 270Mbps, 240Mbps, 180Mbps, 120Mbps, 90Mbps, 60Mbps, 30Mbps) 20MHz (144Mbps, 130Mbps, 115Mbps, 86Mbps, 57Mbps, 43Mbps, 28Mbps, 14Mbps) (Auto-Sense)
	801.11g: (54Mbps, 48Mbps, 36Mbps, 24Mbps, 18Mbps, 12Mbps, 11Mbps, 9Mbps, 6Mbps)
	802.11b: (11Mbps,9Mbps, 6Mbps, 5.5Mbps, 2Mbps, 1Mbps)
Wireless Modes	AP/APR, Multi-SSID
Wireless Security	None / WEP / WPA-PSK / WPA2-PSK / WPA2-Mixed/WPS
4G LTE	
Band for LTE	FDD-LTE:B1/B3/B5/B8 TDD-LTE: B38/B39/B40/B41 HSPA/UMTS:B1/B5/B8 GSM/GPRS/EDGE:B3/B8 TD-SCDMA:B34/B39 EVDO/CDMA:BC0
Mode	FDD-LTE、TDD-LTE、TD-SCDMA、HSPA+、HSUPA HSDPA、UMTS、EVDO、EDGE、GPRS、GSM、CDMA1x
Card Speed	FDD-LTE: 150 Mbps DL, 50 Mbps UL TDD-LTE: 132 Mbps DL, 30 Mbps UL TD-HSUPA:2.8Mbps DL TD-HSUPA:2.2Mbps UL DC-HSPA+:42 Mbps DL HSPA+:21 Mbps DL HSUPA:5.76Mbps UL WCDMA: 384 Kbps DL, 384Kbps UL CDMA2000 EVDO: 3.1Mbps DL, 1.8Mbps UL EDGE: 237 Kbps DL, 118Kbps UL

	GPRS:85.6 Kbps DL, 85.6 Kbps UL
Hardware	
Standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n IEEE 802.3 10Base-T, IEEE 802.3u 100Base-TX
Interface	1*10/100Mbps Auto MDI/MDIX RJ45 WAN port
	2*10/100Mbps Auto MDI/MDIX RJ45 LAN port
	SIM card slot
LED Indicators	Power, LAN All, WiFi/WPS,EWAN, LTE Strong, LTE Middle, LTE Weak
Buttons	Default, WPS
Antenna	2* 5dBi WiFi antennas, 2 SMA detachable 4G antennas
Power Supply	DC 12V/1.0A(Output)
Dimensions (L x W x H)	182mm*108mm*25mm
WAN Type	WAN: DHCP / Static IP / PPPoE / Russia PPPoE / L2TP / PPTP / 3G&4G
Others	Bandwidth Control, Access Control, IPTV, Virtual Server, DMZ,
	VPN Pass-through, Dynamic DNS, Static Routing
Others	
Certification	FCC, CE, EAC
Environment	Operating Temperature: 0°C~40°C
	Storage Temperature: -40°C~70°C
	Operating Humidity: 10%~90% non-condensing
	Storage Humidity: 5%~90% non-condensing
Package	1* MW3560
	1* 12V/1.0A Power Adapter
	1* Quick Installation Guide (Multilingual)

PICTURES:



DECLARATION OF CONFORMITY



We, Manufacturer

NETIS SYSTEMS CO., LTD

Floor 8, Building B, TongFang Information Harbor, No.11 Langshan Road, Nanshan District, Shenzhen, China

Declare that the product

Type of product:	300Mbps Wireless 4G LTE Router
Brand name:	Stonet
Model number:	MW5360

Is in compliance with the essential requirements and other relevant provisions of the following directives:

(2014/30/EU),(2014/53/EU),(2014/35/EU)

Is in Conformity with the following European Norms/Standards:

EN 55032: 2015 / AC: 2016
CISPR 32: 2015 (Ed 2.0) / C1: 2016
EN 61000-3-2: 2014
EN 61000-3-3: 2013
EN 55024: 2010 + A1: 2015
EN 55035: 2017
IEC 61000-4-2: 2008; IEC 61000-4-3: 2006 + A1: 2007 + A2: 2010;
IEC 61000-4-4: 2012; IEC 61000-4-5: 2014 + A1: 2017;
IEC 61000-4-6: 2013 + COR1: 2015; IEC 61000-4-8: 2009;
IEC 61000-4-11: 2004 + A1: 2017
ETSI EN 300 328 V2.1.1: 2016
EN 62311:2008
IEC 62368-1:2014 (Second Edition)

For and on behalf of
NETIS SYSTEMS CO., LTD

Place and date of issue

China 26th, February 2022

Kimki Wang

Kimki Wang
Product Manager

ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ



Ως κατασκευαστής η εταιρία

NETIS SYSTEMS CO.,LTD

Όροφος 8, κτήριο B, TongFang λιμάνι πληροφοριών, No.11 οδός Langshan, περιοχή District, Shenzhen, Κίνα

Δηλώνουμε με αποκλειστική μας ευθύνη, πως το προϊόν

Τύπος προϊόντος:	300Mbps Ασύρματο 4G LTE Router
Μάρκα:	Stonet
Όνομα προϊόντος:	MW5360

Συμμορφώνεται με τις βασικές απαιτήσεις και άλλες σχετικές διατάξεις των ακόλουθων οδηγιών:

(2014/30/EU),(2014/53/EU),(2014/35/EU)

Συμμορφώνεται με τους ακόλουθους Ευρωπαϊκούς Κανόνες/Πρότυπα:

EN 55032: 2015 / AC: 2016

CISPR 32: 2015 (Ed 2.0) / C1: 2016

EN 61000-3-2: 2014

EN 61000-3-3: 2013

EN 55024: 2010 + A1: 2015

EN 55035: 2017

IEC 61000-4-2: 2008; IEC 61000-4-3: 2006 + A1: 2007 + A2: 2010;

IEC 61000-4-4: 2012; IEC 61000-4-5: 2014 + A1: 2017;

IEC 61000-4-6: 2013 + COR1: 2015; IEC 61000-4-8: 2009;

IEC 61000-4-11: 2004 + A1: 2017

ETSI EN 300 328 V2.1.1: 2016

EN 62311:2008

IEC 62368-1:2014 (Second Edition)

Τόπος και ημερομηνία έκδοσης

Κίνα, 20^η Οκτωβρίου 2022

Για λογαριασμό και εξ' ονόματος της
NETIS SYSTEMS CO.,LTD



Kinki Wang
Product Manager